INDEX TO AUTHORS

ABERNETHY, THEODORE J., and AVERY, OSWALD T. The occurrence during acute infections of a protein not normally present in the blood. I. Distribution of the reactive protein in patients' sera and the effect of calcium on the flocculation reaction with C polysaccharide of pneumococcus, 173

ADAMS, MARK H. See SCHROEDER and ADAMS, 531

ANGEVINE, D. MURRAY. A comparison of cutaneous sensitization and antibody formation in rabbits immunized by intravenous or intradermal injections of indifferent or hemolytic streptococci and pneumococci, 57

AVERY, OSWALD T. See ABERNETHY and AVERY, 173

—. See MACLEOD and AVERY, 183, 191

BAILEY, G. HOWARD, and RAFFEL, SIDNEY. Organ specificity of tissues of the dog and man as shown by passive anaphylaxis in guinea pigs, 617

BAKER, ZELMA, HARRISON, R. W., and MILLER, BENJAMIN F. Action of synthetic detergents on the metabolism of bacteria, 249

BECK, M. DORTHY. See EATON, BECK, and PEARSON, 641

BERRY, GEORGE PACKER. See SYVERTON and BERRY, 507

—. See SYVERTON, HARVEY, BERRY, and WARREN, 243

BLOOM, FRANK. See OLIVER, BLOOM, and MACDOWELL, 141

CASALS, J. See WEBSTER and CASALS, 601

CHAFFEE, ELEANOR. See HOBBY, DAWSON, MEYER, and CHAFFEE, 109

CHAFFEE, ELEANOR. See MEYER, CHAFFEE, HOBBY, and DAWSON, 309

CHASE, MERRILL W. Inheritance in guinea pigs of the susceptibility to skin sensitization with simple chemical compounds, 711

—. See LANDSTEINER and CHASE, 431

COBURN, ALVIN F., and PAULI, RUTH H. The interaction of host and bacterium in the development of communicability by *Streptococcus haemolyticus*, 551

DAWSON, MARTIN H. See HOBBY, DAWSON, MEYER, and CHAFFEE, 109

—. See MEYER, CHAFFEE, HOBBY, and DAWSON, 309

DUBOS, RENÉ J., and HOTCHKISS, ROLLIN D. The production of bactericidal substances by aerobic sporulating bacilli, 629

EARLE, DAVID P., JR., and VICTOR, JOSEPH. Cirrhosis of the liver caused by excess dietary cystine, 161

EATON, MONROE D., BECK, M. DORTHY, and PEARSON, HAROLD E. A virus from cases of atypical pneumonia. Relation to the viruses of meningopneumonitis and psittacosis, 641

ELMAN, ROBERT, and HEIFETZ, CARL J. Experimental hypoalbuminemia. Its effect on the morphology, function, and protein and water content of the liver, 417

ENDERS, JOHN F. See LIU, SNYDER, and ENDERS, 669

FIDLAR, E., and WATERS, E. T. The origin of platelets. Their behavior in the heart-lung preparation, 299

FOUTS, P. J. See PAGE, HELMER, KOHLSTAEDT, FOUTS, and KEMPF, 7

GALLI-MAININI, CARLOS. A simplified perfusion apparatus for the maintenance of living organs *in vitro*, 745

GOLDBLATT, HARRY, WEINSTEIN, HARRY, and KAHN, JOSEPH R. Studies on experimental hypertension. XIV. The effect of intermittent renal arterial occlusion on the blood pressure of the dog, 439

GREENE, HARRY S. N. Heterologous transplantation of mammalian tumors. I. The transfer of rabbit tumors to alien species, 461

—. II. The transfer of human tumors to alien species, 475

—. Uterine adenomata in the rabbit. III. Susceptibility as a function of constitutional factors, 273

HARRISON, R. W. See BAKER, HARRISON, and MILLER, 249

HARVEY, R. A. See SYVERTON, HARVEY, BERRY, and WARREN, 243

HEIDELBERGER, MICHAEL. Quantitative chemical studies on complement or alexin. I. A method, 681

—, WEIL, ALFRED J., and TREFFERS, HENRY P. Quantitative chemical studies on complement or alexin. II. The interrelation of complement with antigen-antibody compounds and with sensitized red cells, 695

—. See TREFFERS and HEIDELBERGER, 125, 293

HEIFETZ, CARL J. See ELMAN and HEIFETZ, 417

HELMER, O. M. See PAGE, HELMER, KOHLSTAEDT, FOUTS, and KEMPF, 7

HENGERER, A. D. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

HIRST, GEORGE K. The effect of a polysaccharide-splitting enzyme on streptococcal infection, 493

HOBBY, GLADYS L., DAWSON, MARTIN H., MEYER, KARL, and CHAFFEE, ELEANOR. The relationship between spreading factor and hyaluronidase, 109

—. See MEYER, CHAFFEE, HOBBY, and DAWSON, 309

HORSFALL, FRANK L., JR., and LENNETTE, EDWIN H. Neutralization of influenza A virus by human serum, 327

—, —, and RICKARD, ELSMERE R. A complex vaccine against influenza A virus. Quantitative analysis of the antibody response produced in man, 335

—. See LENNETTE and HORSFALL, 581

HOTCHKISS, ROLLIN D. See DUBOS and HOTCHKISS, 629

KAHN, JOSEPH R. See GOLDBLATT, WEINSTEIN, and KAHN, 439

KATZ, L. N. See RODBARD and KATZ, 357

KEMPF, G. F. See PAGE, HELMER, KOHLSTAEDT, FOUTS, and KEMPF, 7

KIDD, JOHN G. See ROUS and KIDD, 365

KLENDSHOJ, NIELS C. See WITEBSKY and KLENDSHOJ, 655

KOHLSTAEDT, K. G. See PAGE, HELMER, KOHLSTAEDT, FOUTS, and KEMPF, 7

LANDSTEINER, K., and CHASE, MERRILL W. Studies on the sensitization of animals with simple chemical compounds. IX. Skin sensitization induced by injection of conjugates, 431

LENNETTE, EDWIN H., and HORSFALL, FRANK L., JR. Studies on influenza virus. The complement-fixing antigen of influenza A and swine influenza viruses, 581

—. See HORSFALL and LENNETTE, 327

—. See HORSFALL, LENNETTE, and RICKARD, 335

LIU, P. Y., SNYDER, JOHN C., and ENDERS, JOHN F. Fatal infection of irradiated white mice with European typhus by the intraabdominal route, 669

MACDOWELL, MURIEL. See OLIVER, BLOOM, and MACDOWELL, 141

MACKENZIE, IAN, and ROUS, PEYTON. The experimental disclosure of latent neoplastic changes in tarred skin, 391

MACLEOD, COLIN M., and AVERY, OSWALD T. The occurrence during acute infections of a protein not normally present in the blood. II. Isolation and properties of the reactive protein, 183

— and —. III. Immunological properties of the C-reactive protein and its differentiation from normal blood proteins, 191

MADDEN, S. C., TURNER, A. P., ROWE, A. P., and WHIPPLE, G. H. Blood plasma protein production as influenced by various degrees of hypoproteinemia and by amino acids, 571

—, ZELDIS, L. J., HENGERER, A. D., MILLER, L. L., ROWE, A. P., TURNER, A. P., and WHIPPLE, G. H. Casein digests parenterally utilized to form blood plasma protein, 727

MCMASTER, PHILIP D. Factors influencing the intermittent passage of Locke's solution into living skin, 85

—. Intermittent take-up of fluid from the cutaneous tissue, 67

MEYER, KARL, CHAFFEE, ELEANOR, HOBBY, GLADYS L., and DAWSON, MARTIN H. Hyaluronidases of bacterial and animal origin, 309

—. See HOBBY, DAWSON, MEYER, and CHAFFEE, 109

MILLER, BENJAMIN F. See BAKER, HARRISON, and MILLER, 249

MILLER, L. L. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

OLIVER, JEAN, BLOOM, FRANK, and MACDOWELL, MURIEL. Structural and functional transformations in the tubular epithelium of the dog's kidney in chronic Bright's disease and their relation to mechanisms of renal compensation and failure, 141

PACKALÉN, THOROLF. A study of quantitative changes of the Shope rabbit papilloma virus at the site of inoculation in the skin of the cottontail and domestic rabbit, 1

PAGE, IRVINE H., HELMER, O. M., KOHLSTAEDT, K. G., FOUTS, P. J., and KEMPF, G. F. Reduction of arterial blood pressure of hypertensive patients and animals with extracts of kidneys, 7

PAUL, JOHN R. See TRASK and PAUL, 453

PAULI, RUTH H. See COBURN and PAULI, 551

PEARSON, HAROLD E. See EATON, BECK, and PEARSON, 641

RAFFEL, SIDNEY. See BAILEY and RAFFEL, 617

RICKARD, ELSMERE R. See HORSFALL, LENNETTE, and RICKARD, 335

RODBARD, S., and KATZ, L. N. The rôle of renal metabolism in hypertension and uremia, 357

ROUS, PEYTON, and KIDD, JOHN G. Conditional neoplasms and subthreshold neoplastic states. A study of the tar tumors of rabbits, 365

—. See MACKENZIE and ROUS, 391

ROWE, A. P. See MADDEN, TURNER, ROWE, and WHIPPLE, 571

—. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

SABIN, ALBERT B., and WARD, ROBERT. The natural history of human poliomyelitis. I. Distribution of virus in nervous and non-nervous tissues, 771

SABIN, ALBERT B., and WARD, ROBERT. Nature of non-paralytic and transitory paralytic poliomyelitis in *rhesus* monkeys inoculated with human virus, 757

SCHROEDER, HENRY A., and ADAMS, MARK H. The effect of tyrosinase on experimental hypertension, 531

SHEMIN, DAVID. See SMETANA and SHEMIN, 223

SMETANA, HANS, and SHEMIN, DAVID. Studies on photo-oxidation of antigen and antibodies, 223

SNYDER, JOHN C. See LIU, SNYDER, and ENDERS, 669

SYVERTON, JEROME T., and BERRY, GEORGE PACKER. Hereditary transmission of the Western type of equine encephalomyelitis virus in the wood tick, *Dermacentor andersoni* Stiles, 507

—, HARVEY, R. A., BERRY, GEORGE PACKER, and WARREN, S. L. The Roentgen radiation of papilloma virus (Shope). I. The effect of x-rays upon papillomas on domestic rabbits, 243

TAYLOR, R. M. Experimental infection with influenza A virus in mice. The increase in intrapulmonary virus after inoculation and the influence of various factors thereon, 43

TRASK, JAMES D., and PAUL, JOHN R. Experimental poliomyelitis in *Cercopithecus aethiops sabaeus* (the green African monkey) by oral and other routes, 453

TREFFERS, HENRY P., and HEIDELBERGER, MICHAEL. Quantitative experiments with antibodies to a specific precipitate. I, 125

— and —. Quantitative experiments with antibodies to specific precipitates. II, 293

—. See HEIDELBERGER, WEIL, and TREFFERS, 695

TURNER, A. P. See MADDEN, TURNER, ROWE, and WHIPPLE, 571

—. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

VICTOR, JOSEPH. See EARLE and VICTOR, 161

WARD, ROBERT. See SABIN and WARD, 757, 771

WARREN, S. L. See SYVERTON, HARVEY, BERRY, and WARREN, 243

WATERS, E. T. See FIDLAR and WATERS, 299

WEBSTER, L. T., and CASALS, J. The quantity of irradiated non-virulent rabies virus required to immunize mice and dogs, 601

WEIL, ALFRED J. See HEIDELBERGER, WEIL, and TREFFERS, 695

WEINSTEIN, J. HARRY. See GOLDBLATT, WEINSTEIN, and KAHN, 439

WHIPPLE, G. H. See MADDEN, TURNER, ROWE, and WHIPPLE, 571

—. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

WITEBSKY, ERNEST, and KLENDSHOJ, NIELS C. The isolation of an O specific substance from gastric juice of secretors and carbohydrate-like substances from gastric juice of non-secretors, 655

WOLF, HARRIET. See ELMAN and HEIFETZ, 417

WOOD, W. BARRY, JR. Studies on the mechanism of recovery in pneumococcal pneumonia. I. The action of type specific antibody upon the pulmonary lesion of experimental pneumonia, 201

WOOLLEY, D. W. A new growth factor required by certain hemolytic streptococci, 487

ZELDIS, L. J. See MADDEN, ZELDIS, HENGERER, MILLER, ROWE, TURNER, and WHIPPLE, 727

INDEX TO SUBJECTS

ACIDS, amino, and various degrees of hypoproteinemia, plasma protein production as influenced by, 571
Adenomata, uterine, in rabbit, susceptibility as function of constitutional factors, 273
Aerobic sporulating bacilli, production of bactericidal substances by, 629
Albuminemia, hypo-, effect on morphology, function, and protein and water content of liver, 417
Alexin or complement, quantitative chemical studies, interrelation of complement with antigen-antibody compounds and with sensitized red cells, 695
— or complement, quantitative chemical studies, method, 681
Amino acids and various degrees of hypoproteinemia, plasma protein production as influenced by, 571
Anaphylaxis, passive, in guinea pigs, organ specificity of tissues of dog and man as shown by, 617
Antibodies and antigen, photo-oxidation, 223
— to specific precipitate, quantitative experiments, 125
— to specific precipitates, quantitative experiments, 293
Antibody formation and cutaneous sensitization after immunization by intravenous or intradermal injections of indifferent or hemolytic streptococci and pneumococci, 57
— response produced in man with complex vaccine against influenza A virus, quantitative analysis, 335
—, type specific, action upon pulmonary lesion of pneumococcal pneumonia, 201
Antibody-antigen compounds and sensitized red cells, interrelation of complement or alexin with, 695
Antigen and antibodies, photo-oxidation, 223
—, complement-fixing, of influenza A and swine influenza viruses, 581
Antigen-antibody compounds and sensitized red cells, interrelation of complement or alexin with, 695
Apparatus, simplified perfusion, for maintenance of living organs *in vitro*, 745
Arterial blood pressure of hypertensive patients and animals, reduction with kidney extracts, 7
— occlusion, renal, intermittent, effect on blood pressure, 439

BACILLI, aerobic sporulating, production of bactericidal substances by, 629
Bacteria, metabolism, action of synthetic detergents, 249
Bacterial and animal hyaluronidases, 309
Bactericidal substances, production by aerobic sporulating bacilli, 629
Bacterium and host, interaction in development of communicability by *Streptococcus haemolyticus*, 551
Blood corpuscle, red. *See* Erythrocytes.
—, occurrence during acute infections of reactive protein not normally present, 173, 183, 191
— plasma. *See* Plasma.
— pressure, arterial, of hypertensive patients and animals, reduction with kidney extracts, 7
— pressure, effect of intermittent renal arterial occlusion, 439
— sera. *See* Sera.
Bright's disease. *See* Disease.

CALCIUM, effect on flocculation reaction of protein in patients' sera during acute infections with C polysaccharide of pneumococcus, 173

Carbohydrate-like substances from gastric juice of non-secretors, and O specific substance from gastric juice of secretors, isolation, 655
Casein digests parenterally utilized to form plasma protein, 727
Cell, blood, red. *See* Erythrocytes.
Cercopithecus aethiops sabaeus, poliomyelitis by oral and other routes, 453
Chemical compounds, simple, inheritance of susceptibility to skin sensitization with, 711
— compounds, simple, sensitization of animals, 431
— studies, quantitative, on complement or alexin, interrelation of complement with antigen-antibody compounds and with sensitized red cells, 695
— studies, quantitative, on complement or alexin, method, 681
Cirrhosis, liver, caused by excess dietary cystine, 161
Compensation, renal, and failure, mechanisms, relation of structural and functional transformations in tubular epithelium of dog's kidney in chronic Bright's disease, 141
Complement or alexin, quantitative chemical studies, interrelation of complement with antigen-antibody compounds and with sensitized red cells, 695
— or alexin, quantitative chemical studies, method, 681
Complement-fixing antigen of influenza A and swine influenza viruses, 581
Constitutional factors, susceptibility of rabbit to uterine adenomata as function of, 273
Corpuscle, blood, red. *See* Erythrocytes.
Cystine, dietary, excess, cirrhosis of liver caused by, 161

DERMACENTOR *andersoni* Stiles, hereditary transmission of Western type of equine encephalomyelitis virus in, 507
Detergents, synthetic, action on metabolism of bacteria, 249
Diet, cirrhosis of liver caused by excess cystine, 161
Digests, casein, parenterally utilized to form plasma protein, 727
Disease, Bright's, chronic, structural and functional transformations in tubular epithelium of dog's kidney, relation to mechanisms of renal compensation and failure, 141

ENCEPHALOMYELITIS, equine, Western type, hereditary transmission of virus in wood tick, *Dermacentor andersoni* Stiles, 507
Enzyme, polysaccharide-splitting, effect on streptococcal infection, 493
Epithelium, tubular, of dog's kidney, structural and functional transformations in chronic Bright's disease, relation to mechanisms of renal compensation and failure, 141
Erythrocytes, sensitized, and antigen-antibody compounds, interrelation of complement or alexin with, 695
European typhus, fatal infection of irradiated white mice by intraabdominal route, 669

FIXATION, complement. *See* Complement.
Flocculation reaction of protein in patients' sera during acute infections with C polysaccharide of pneumococcus, effect of calcium, 173
Fluid from cutaneous tissue, intermittent take-up, 67

GASTRIC. *See* Stomach.
Growth factor, new, required by hemolytic streptococci, 487

HEART-LUNG preparation, behavior of platelets in, 299
Hemolytic or indifferent streptococci and pneumococci, intravenous or intradermal injections, cutaneous sensitization and antibody formation after immunization by, 57
— streptococci, new growth factor required by, 487

Heredity, susceptibility to skin sensitization with simple chemical compounds, 711
—, transmission of Western type of equine encephalomyelitis virus in wood tick, *Dermacentor andersoni* Stiles, 507
Heterologous transplantation of mammalian tumors, 461, 475
Horse encephalomyelitis virus, Western type, hereditary transmission in wood tick, *Dermacentor andersoni* Stiles, 507
Hyaluronidase and spreading factor, relation, 109
Hyaluronidases of bacterial and animal origin, 309
Hypertension, effect of intermittent renal arterial occlusion on blood pressure, 439
—, effect of tyrosinase, 531
— and uremia, renal metabolism in, 357
Hypertensive patients and animals, arterial blood pressure, reduction with kidney extracts, 7
Hypoalbuminemia, effect on morphology, function, and protein and water content of liver, 417
Hypoproteinemia, various degrees, and amino acids, plasma protein production as influenced by, 571

IMMUNIZATION by intravenous or intradermal injections of indifferent or hemolytic streptococci and pneumococci, cutaneous sensitization and antibody formation after, 57
— of mice and dogs, quantity of irradiated non-virulent rabies virus required, 601
Immunological properties of C-reactive protein, not normally present in blood, occurring during acute infections, 191
Infections, acute, occurrence of reactive protein not normally present in blood, 173, 183, 191
Influenza A virus, complex vaccine against, quantitative analysis of antibody response produced in man, 335
Influenza A virus, increase in lungs after inoculation, 43
— A virus, neutralization by human serum, 327
— viruses, A and swine, complement-fixing antigen, 581
Injection, intraabdominal, fatal infection of irradiated white mice with European typhus by, 669
— of conjugates, skin sensitization induced by, 431
Injections, intravenous or intradermal, of indifferent or hemolytic streptococci and pneumococci, cutaneous sensitization and antibody formation after immunization by, 57
Inoculation of *rhesus* monkeys with human virus of non-paralytic and transitory paralytic poliomyelitis, 757
— of Shope rabbit papilloma virus in skin of cottontail and domestic rabbit, quantitative changes at site of, 1
— with influenza A virus, increase in lungs after, 43

KIDNEY arterial occlusion, intermittent, effect on blood pressure, 439
—, dog's, tubular epithelium, structural and functional transformations in chronic Bright's disease, relation to mechanisms of renal compensation and failure, 141
— extracts, reduction of arterial blood pressure of hypertensive patients and animals with, 7
— metabolism in hypertension and uremia, 357

LIVER, cirrhosis caused by excess dietary cystine, 161
—, morphology, function, and protein and water content, effect of hypoalbuminemia, 417
Locke's solution, intermittent passage into living skin, factors influencing, 85
Lung lesion of pneumococcal pneumonia, action of type specific antibody upon, 201

Lung-heart preparation, behavior of platelets in, 299
Lungs, increase of influenza A virus after inoculation, 43

MAMMALIAN tumors, heterologous transplantation, 461, 475
Man, antibody response to complex vaccine against influenza A virus, quantitative analysis, 335
—, organ specificity of tissues shown by passive anaphylaxis in guinea pigs, 617
—, poliomyelitis, distribution of virus in nervous and non-nervous tissues, 771
—, poliomyelitis, nature of non-paralytic and transitory paralytic poliomyelitis in *rhesus* monkeys inoculated with virus, 757
—, serum, neutralization of influenza A virus by, 327
—, tumors, transfer to alien species, 475
Meningopneumonitis and psittacosis, viruses, relation to virus from cases of atypical pneumonia, 641
Metabolism, bacteria, action of synthetic detergents, 249
—, renal, in hypertension and uremia, 357
Morphology, function, and protein and water content of liver, effect of hypoalbuminemia, 417
Mouth, poliomyelitis in *Cercopithecus aethiops sabaeus*, 453

NEOPLASM. *See* Tumor.
Nervous and non-nervous tissues, distribution of virus of human poliomyelitis, 771

ORGAN specificity of tissues of dog and man, shown by passive anaphylaxis in guinea pigs, 617
Organs, living, maintenance *in vitro*, simplified perfusion apparatus, 745
Oxidation, photo-, of antigen and antibodies, 223

PAPILLOMA virus, Shope, papillomas induced on domestic rabbit by, effect of x-rays, 243
— virus, Shope, rabbit, quantitative changes at site of inoculation in skin of cottontail and domestic rabbit, 1
Paralytic poliomyelitis, non-paralytic and transitory, in *rhesus* monkeys inoculated with human virus, 757
Perfusion apparatus, simplified, for maintenance of living organs *in vitro*, 745
Photo-oxidation of antigen and antibodies, 223
Plasma protein, casein digests parenterally utilized to form, 727
— protein production as influenced by various degrees of hypoproteinemia and by amino acids, 571
Platelets, blood, origin, and behavior in heart-lung preparation, 299
Pneumococcal pneumonia, mechanism of recovery, action of type specific antibody upon pulmonary lesion, 201
Pneumococci and indifferent or hemolytic streptococci, intravenous or intradermal injections, cutaneous sensitization and antibody formation after immunization by, 57
Pneumococcus, C polysaccharide, effect of calcium on flocculation reaction with protein in patients' sera during acute infections, 173
Pneumonia, atypical, virus, relation to viruses of meningopneumonitis and psittacosis, 641
—, pneumococcal, mechanism of recovery, action of type specific antibody upon pulmonary lesion, 201
Pneumonitis, meningo-, and psittacosis, viruses, relation to virus from cases of atypical pneumonia, 641
Poliomyelitis, human, distribution of virus in nervous and non-nervous tissues, 771
— in *Cercopithecus aethiops sabaeus*, by oral and other routes, 453

Poliomyelitis, non-paralytic and transitory paralytic, in *rhesus* monkeys inoculated with human virus, 757
Polysaccharide, C, of pneumococcus, effect of calcium on flocculation reaction with protein in patients' sera during acute infections, 173
Polysaccharide-splitting enzyme, effect on streptococcal infection, 493
Precipitate, specific, antibodies to, quantitative experiments, 125
Precipitates, specific, antibodies to, quantitative experiments, 293
Protein, C-reactive, not normally present in blood, occurrence during acute infections, immunological properties and differentiation from normal blood proteins, 191
—, plasma, casein digests parenterally utilized to form, 727
—, plasma, production as influenced by various degrees of hypoproteinemia and by amino acids, 571
—, reactive, not normally present in blood, occurrence during acute infections, isolation and properties, 183
—, reactive, not normally present in blood, occurrence in patients' sera during acute infections, effect of calcium on flocculation reaction with C polysaccharide of pneumococcus, 173
— and water content, morphology, and function of liver, effect of hypoalbuminemia, 417
Psittacosis and meningopneumonitis, viruses, relation to virus from cases of atypical pneumonia, 641

RABIES virus, irradiated, non-virulent, quantity required to immunize mice and dogs, 601
Radiation of non-virulent rabies virus, quantity required to immunize mice and dogs, 601
— of white mice, fatal infection with European typhus by intraabdominal route, 669
—, Roentgen, effect upon Shope virus-induced papillomas of domestic rabbit, 243
Reaction, flocculation, of protein in patients' sera during acute infections with C polysaccharide of pneumococcus, effect of calcium, 173
Renal. *See* Kidney.
Roentgen rays, effect upon Shope virus-induced papillomas on domestic rabbit, 243

SENSITIZATION, red cells, interrelation of complement or alexin with antigen-antibody compounds and, 695
—, skin, and antibody formation, after immunization by intravenous or intradermal injections of indifferent or hemolytic streptococci and pneumococci, 57
—, skin, induced by injection of conjugates, 431
—, skin, with simple chemical compounds, inheritance of susceptibility, 711
Sera, patients', occurrence during acute infections of reactive protein not normally present, effect of calcium on flocculation reaction with C polysaccharide of pneumococcus, 173
Serum, human, neutralization of influenza A virus by, 327
Shope papilloma virus, effect of x-rays upon papillomas on domestic rabbits induced by, 243
— rabbit papilloma virus, quantitative changes at site of inoculation in skin of cottontail and domestic rabbit, 1
Skin, living, factors influencing intermittent passage of Locke's solution into, 85
— of cottontail and domestic rabbit, quantitative changes of Shope rabbit papilloma virus at site of inoculation in, 1
— sensitization and antibody formation after immunization by intravenous or intradermal injections of indifferent or hemolytic streptococci and pneumococci, 57
— sensitization induced by injection of conjugates, 431

Skin sensitization with simple chemical compounds, inheritance of susceptibility, 711
—, tarred, latent neoplastic changes, 391
— tissue, intermittent take-up of fluid from, 67
Solution, Locke's, intermittent passage into living skin, factors influencing, 85
Specific precipitate, antibodies to, quantitative experiments, 125
— precipitates, antibodies to, quantitative experiments, 293
— substance, O, isolation from gastric juice of secretors, and carbohydrate-like substances from gastric juice of non-secretors, 655
—, type, antibody, action upon pulmonary lesion of pneumococcal pneumonia, 201
Specificity, organ, of tissues of dog and man, shown by passive anaphylaxis in guinea pigs, 617
Sporulating bacilli, aerobic, production of bactericidal substances by, 629
Stomach juice of secretors, isolation of O specific substance from, and carbohydrate-like substances from juice of non-secretors, 655
Streptococcal infection, effect of polysaccharide-splitting enzyme, 493
Streptococci, hemolytic, new growth factor required by, 487
—, indifferent or hemolytic, and pneumococci, intravenous or intradermal injections, cutaneous sensitization and antibody formation after immunization by, 57
Streptococcus haemolyticus, interaction of host and bacterium in development of communicability by, 551
Susceptibility of rabbit to uterine adenomata, as function of constitutional factors, 273
— to skin sensitization with simple chemical compounds, inheritance, 711
Swine influenza and influenza A viruses, complement-fixing antigen, 581

TAR tumors of rabbits, conditional neoplasms and neoplastic states, 365
Tarred skin, latent neoplastic changes, 391
Tick, *Dermacentor andersoni* Stiles, hereditary transmission of Western type of equine encephalomyelitis virus in, 507
Tissue, cutaneous, intermittent take-up of fluid from, 67
Tissues, dog and man, organ specificity shown by passive anaphylaxis in guinea pigs, 617
—, nervous and non-nervous, distribution of virus of human poliomyelitis, 771
Transmission, hereditary, of Western type of equine encephalomyelitis virus in wood tick, *Dermacentor andersoni* Stiles, 507
Transplantation, heterologous, of mammalian tumors, 461, 475
Tubular epithelium of dog's kidney, structural and functional transformations in chronic Bright's disease, relation to mechanisms of renal compensation and failure, 141
Tumor, latent changes in tarred skin, 391
—, mammalian, heterologous transplantation, 461, 475
—, tar, rabbit, conditional neoplasms and subthreshold neoplastic states, 365
Typhus, European, fatal infection of irradiated white mice by intraabdominal route, 669
Tyrosinase, effect on hypertension, 531

UREMIA and hypertension, renal metabolism in, 357
Uterine adenomata in rabbit, susceptibility as function of constitutional factors, 273

VACCINE, complex, against influenza A virus, quantitative analysis of antibody response produced in man, 335

Virulent, non-, irradiated rabies virus, quantity required to immunize mice and dogs, 601
Virus, equine encephalomyelitis, Western type, hereditary transmission in wood tick, *Dermacentor andersoni* Stiles, 507
— from atypical pneumonia, relation to viruses of meningopneumonitis and psittacosis, 641
—, human poliomyelitis, distribution in nervous and non-nervous tissues, 771
—, human poliomyelitis, nature of non-paralytic and transitory paralytic poliomyelitis in *rhesus* monkeys inoculated with, 757
—, influenza A, complex vaccine against, quantitative analysis of antibody response produced in man, 335
—, influenza A, increase in lungs after inoculation, 43
Virus, influenza A, neutralization by human serum, 327
—, rabies, irradiated, non-virulent, quantity required to immunize mice and dogs, 601
—, Shope papilloma, papillomas induced on domestic rabbit by, effect of x-rays, 243
—, Shope rabbit papilloma, quantitative changes at site of inoculation in skin of cottontail and domestic rabbit, 1
Viruses, influenza, A and swine, complement-fixing antigen, 581

WATER and protein content, morphology, and function of liver, effect of hypoalbuminemia, 417

X-RAYS. *See* Roentgen rays.